



TDEVO-120S EVO Self-Serve Display

Quick Overview

- Self Serve Open Food & Beverage Display ideal for placement in narrow spaces
- Efficient and reliable refrigeration system
- Low energy consumption and low environmental impact
- Tempered double glazing side and air deflector glass
- Perforated back and interior ceiling for improved air circulation
- Removable lower display shelves
- 3 Stainless steel adjustable shelves
- Four LED lights (ceiling top + 3 shelves)
- Electronic control panel
- Off-cycle defrosting
- Suitable for displaying: Gastronomy, packaged snack and pastry, beverage, cold cuts, dairy products
- Temperature range: +3--+5
- Ambient/Rh%: 30/55
- Display surface (m²): 1.41
- Four lockable castors

Description

TDEVO-120S EVO Self-Serve Display

- Self Serve Open Food & Beverage Display ideal for placement in narrow spaces
- Efficient and reliable refrigeration system
- Low energy consumption and low environmental impact
- Tempered double glazing side and air deflector glass
- Perforated back and interior ceiling for improved air circulation
- Removable lower display shelves
- 3 Stainless steel adjustable shelves
- Four LED lights (ceiling top + 3 shelves)
- Electronic control panel
- Off-cycle defrosting
- Suitable for displaying: Gastronomy, packaged snack and pastry, beverage, cold cuts, dairy products
- Temperature range: +3--+5
- Ambient/Rh%: 30/55
- Display surface (m²): 1.41
- Four lockable castors

2 Years Parts and Labour Warranty

Your Shipping Specifications

Net Weight (Kg)	195
Width (mm)	1205
Depth (mm)	800
Height (mm)	1520
Packing Width (mm)	1300
Packing Depth (mm)	880
Packing Height (mm)	1720
Power	240 V; 1.15kW / 10A
Warranty	2 Years Parts and Labour