



# SKOPE ProSpec PG21.UPF.2.SD 2 Solid Door Upright Freezer

**\$8,690.00** +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



## SKOPE ProSpec PG21.UPF.2.SD 2 Solid Door Upright Freezer

A solid-door GN2/1 upright freezer designed to store frozen food in restaurants, clubs, pubs, catered venues, and cafes. It is engineered to safely store frozen food from -18°C to -22°C (or adjustable via a smart-phone app from -12°C to -26°C) in ambient environments of up to 40°C. The body is made from 304 stainless steel covering 80mm thick polyurethane insulation. The solid swing door features a full-height, formed door handle for easy opening and cleaning. The doors are fitted with built-in key locks, are self-closing, and have a stay-open position at over 90 °. Inside the freezer, there are LED lights, 10 GN2/1 stainless steel wire shelves with removable shelf brackets, and coved corners for easy cleaning. The modular monoblock freezer cartridge uses R290 natural refrigerant for low energy consumption, low heat discharge, and low noise output, and it can be easily removed in line with best practice for the safe servicing of natural refrigerants. The freezer includes a controller that connects to a free app to enable the user to set temperatures and alerts, monitor temperatures and energy, and more. The freezer is certified to all Australian and New Zealand refrigeration and electrical safety standards.

## Description

### SKOPE ProSpec PG21.UPF.2.SD 2 Solid Door Upright Freezer

- Dimensions: 1410 W x 865 D x 2185 (with castors - adjustable from 2185 to 2200) or 2245 with legs H (mm)
- Doors: 2
- Door Type: Solid
- Shelves: Ten adjustable height, stainless steel GN 2/1 shelves (530W - 650L)
- Material: 304 AISI stainless steel
- Gross Volume (Litres): 1266
- Total Floor Area (m<sup>2</sup>): 1.21
- Weight (kg): 260
- Refrigeration Unit: Self-Contained
- Temperature Range: -21 to -18 (adjustable\* from -26 to -12)
- Max Ambient Temperature: 40
- Refrigerant: R290 / 137 g
- GEMS Class: 5L1
- GEMS Energy Consumption (kWh/24h): 14.89
- GEMS Annual Running Costs: \$1,630 (@ \$0.30/kWh)
- kW: 1.32
- Current Draw (Amps): 5.5
- Noise Measurement (dB): Standard 66 Hush Mode (via SKOPE-connect) 63
- Interior Lighting: 2 - 1400 mm, 16-watt LED lights (door-activated)
- Controller: SCS Connect (SKOPE-connect compatible)
- Refrigeration System: Removable cartridge
- Power cord: 3 m power cord with 3-pin, 10 amp plug
- Power Supply: 220-240 volts a.c., 50 Hz, single-phase supply

## Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Skope
Model	PG21.UPF.2.SD
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	-21°C to -18°C (adjustable with SKOPE-connect -26°C to -12°C)
Climate / Ambient Temperature Rating	Ambient Rating C = 40°C
GEMS Product Temperature Class	5L1
GEMS energy consumption	14.89kWh/24h
GEMS annual running cost	\$1630 (@ \$0.30/kWh)
Temperature Display / Control	SCS Connect (SKOPE-connect™ compatible)
Refrigerant	R290
External Dimensions (mm)	1410mm (W) x 865mm (D) x 2185mm (H) (with castors - adjustable from 2185 to 2200) or 2245 with legs H (mm)
Internal Dimensions (mm)	1250mm (W) x 675mm (D) x 1500mm (H)
Capacity/Volume	1266ltr
Leg / Caster information	Standard castors / Legs

Power Information	220-240 volts a.c., 50 Hz, single-phase supply
Door Information	self-closing, lockable, solid swing door with the stay-open position at over 90°
Packaged Dimensions (mm)	1440mm (W) X 895mm (D) X 2235mm (H)
Interior Lighting	2 × 1400 mm, 16 watt LED light (door-activated)
Internal Colour	Stainless Steel
Defrost Auto or Manual	Automatic
No. of Shelves Included	Ten adjustable height, stainless steel GN 2/1 shelves (530W × 650L)
Clear Door Opening Width	2275mm
Clear Ventilation Space Required	300mm at Top
Gastronorm	Yes
About the Product	Commercial Fridge & Freezer Sales Australia is committed to providing best price, best quality brands and best support in Australia.
Manufacturer's Suggested Retail Price	\$10,825.00