



https://www.commercialfridgefreezer.com.au/skope-sl-3-ssw-3-stainless-steel-swing-door-slimline-back-bar-fridge/

# SKOPE SL.3.SSW 3 Stainless Steel Swing Door SlimLine Back Bar Fridge

\$6,933.56 +GST

View more Product Details

Add to Cart

**Request a Quote** 



The SKOPE SL.3.SSW 3 Stainless Steel Swing Door SlimLine Back Bar Fridge is a glass door Back Bar fridge designed to fit under the bar and merchandise ready-to-serve cold beverages with its Low profile premium Skope quality build, 3 swing doors, and features such dimmable LED lights, and eco-friendly natural refrigerant technology this is the perfect unit for bars, restaurants, clubs, pubs, and cafes.

\*\*Note: The image could be different from the description.\*\*

## Description

### SKOPE SL.3.SSW 3 Stainless Steel Swing Door SlimLine Back Bar Fridge

- Serving cold drinks at 1°C to 4°C (or adjustable up to 15°C),
- Ambient rating 40°C,

https://www.commercialfridgefreezer.com.au/skope-sl-3-ssw-3-stainless-steel-swing-door-slimline-back-bar-fridge/ rcial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are sub

- Powder-coated, galvanized steel with color options, or full stainless steel,
- Suitable for high-humidity tropical environments,
- Retractable tabs to enable locking via padlock,
- Ultra-low energy consumption 2.5kWh per 24hrs,
- Low heat discharge and Low noise output,
- Side-mounted fully removable refrigeration cartridge,

- SKOPE-connect Bluetooth controller to enable the user to set temperatures and alerts, monitor temperatures, energy, and more,

- Fully Front Breathing for tight spaces,

- 448ltr Storage Capacity.

#### **Options:**

- Black exterior/black interior finish
- Stainless Steel Finish
- White exterior/white interior finish
- Designer Door Options
- Extra Shelf & Clips (per level)
- Flat S/S Benchtop
- Plinth Mounting
- Punched S/S Shelves (per cabinet)
- Right-Hand Services
- Solid Doors
- Tropical Heated Glass.

## **Additional Information**

ArrowYes - Special Order Product requires 8-12 weeks for deliveryspecial Order ProductStainless Steelstarnal ColourSkopeArrandSkopeAdelSL3.SSWVarranty2 Yearsremperature Operating Range C1°C to 4°C (adjustable from 0°C to 15°C)climate / Ambient Temperature Rating40°CSEMS Product Temperature Class3M1SEMS energy consumption2.5kWh/24hrsremperature Display / ControlSCS Connect (SKOPE-connect™ compatible)remperature Display / ControlR290 / 81gsternal Dimensions (mm)J130mm (W) x 475mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)		
Acternal ColourStainless SteelBrandSkopeArandSL3.SSWAdelSL3.SSWVarranty2 YearsTemperature Operating Range C1°C to 4°C (adjustable from 0°C to 15°C)Climate / Ambient Temperature Rating40°CSEMS Product Temperature Class3M1SEMS energy consumption2.5kWh/24hrsSEMS annual running cost\$274 (@ \$0.30/kWh)Semperature Display / ControlSC S Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gAtternal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Country of Manufacture	Asia
BrandSkopeArodelSL.3.SSWVarranty2 YearsTemperature Operating Range C1°C to 4°C (adjustable from 0°C to 15°C)Climate / Ambient Temperature Rating40°CClimate / Ambient Temperature Rating5M1SEMS Product Temperature Class3M1SEMS energy consumption2.5kWh/24hrsSEMS annual running cost\$274 (@ \$0.30/kWh)Semperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gsternal Dimensions (mm)130mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)	Special Order Product	Yes - Special Order Product requires 8-12 weeks for delivery
AndelSL3.SSWVarranty2 YearsYemperature Operating Range C1°C to 4°C (adjustable from 0°C to 15°C)Uimate / Ambient Temperature Rating40°CSEMS Product Temperature Class3M1SEMS energy consumption2.5kWh/24hrsSEMS annual running cost\$274 (@ \$0.30/kWh)Yemperature Display / ControlSC Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gSternal Dimensions (mm)190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable for 820 to 835) or 725 (with plinth mount) H (mm)	External Colour	Stainless Steel
Warranty2 YearsYemperature Operating Range C1°C to 4°C (adjustable from 0°C to 15°C)Climate / Ambient Temperature Rating40°CGEMS Product Temperature Class3M1GEMS energy consumption2.5kWh/24hrsGEMS annual running cost\$274 (@ \$0.30/kWh)Temperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gExternal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Brand	Skope
TenderTender1°C to 4°C (adjustable from 0°C to 15°C)Limate / Ambient Temperature Rating40°CGEMS Product Temperature Class3M1GEMS energy consumption2.5kWh/24hrsGEMS annual running cost\$274 (@ \$0.30/kWh)Temperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gExternal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Model	SL.3.SSW
Climate / Ambient Temperature Rating40°CSEMS Product Temperature Class3M1SEMS energy consumption2.5kWh/24hrsSEMS annual running cost\$274 (@ \$0.30/kWh)Temperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gExternal Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)Atternal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Warranty	2 Years
EMS Product Temperature Class3M1GEMS energy consumption2.5kWh/24hrsGEMS annual running cost\$274 (@ \$0.30/kWh)Gemperature Display / ControlSCS Connect (SKOPE-connect™ compatible)GefrigerantR290 / 81gExternal Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)Hernal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Temperature Operating Range C	1°C to 4°C (adjustable from 0°C to 15°C)
GEMS energy consumption2.5kWh/24hrsGEMS annual running cost\$274 (@ \$0.30/kWh)emperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gexternal Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)hternal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Climate / Ambient Temperature Rating	40°C
GEMS annual running cost\$274 (@ \$0.30/kWh)Gemperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gExternal Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)Internal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	GEMS Product Temperature Class	3M1
Temperature Display / ControlSCS Connect (SKOPE-connect™ compatible)RefrigerantR290 / 81gExternal Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)Internal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	GEMS energy consumption	2.5kWh/24hrs
RefrigerantR290 / 81gExternal Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)Internal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	GEMS annual running cost	\$274 (@ \$0.30/kWh)
External Dimensions (mm)2190mm (W) x 590mm (D) x 833mm (H) (with castors - adjustable from 820 to 835) or 725 (with plinth mount) H (mm)Internal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Temperature Display / Control	SCS Connect (SKOPE-connect™ compatible)
Internal Dimensions (mm)from 820 to 835) or 725 (with plinth mount) H (mm)Internal Dimensions (mm)1730mm (W) x 475mm (D) x 545mm (H)	Refrigerant	R290 / 81g
	External Dimensions (mm)	
Capacity/Volume 448Ltr	Internal Dimensions (mm)	1730mm (W) x 475mm (D) x 545mm (H)
	Capacity/Volume	448Ltr
eg / Caster information Castors	Leg / Caster information	Castors
castors castors	Leg / caster information	Castors

https://www.commercialfridgefreezer.com.au/skope-sl-3-ssw-3-stainless-steel-swing-door-slimline-back-bar-fridge/

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

Power Information	220-240 volts a.c., 50 Hz, single phase supply
Door Information	Stainless Steel swing door
Packaged Dimensions (mm)	ТВС
Interior Lighting	1 × 24W, cool white (5500-6500K) LED strip on cabinet ceiling
Internal Colour	Stainless Steel
Defrost Auto or Manual	Automatic
No. of Shelves Included	Six adjustable height, plastic-coated wire shelves, 4 × outer shelf (547W × 440L), 2 × inner shelf (605W × 440L)
Clear Ventilation Space Required	Not required
Manufacturer's Suggested Retail Price	\$8,770.00