



<https://www.commercialfridgefreezer.com.au/fagor-ikore-concept-20-trays-combi-oven-cw-201ersws/>

Fagor IKORE Concept 20 Trays Combi Oven CW-201ERSWS

\$31,492.50 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



- 2.8" screen with rotary knob and push function for configuring and Confirming inputs
- Clima: Humidity management and control by means of direct measurement with a humidity
- 10% regulation capacity
- Storage capacity for more than 100 9-stage recipes
- Air and water cooldown (rapid cabinet cooling function)
- Cooking modes: low temperature steam 30-989, steam 999, super steam 100- 1309, mixed 30-3009 and convection 30-3009

Description

FUNCTIONS:

- 8" screen with rotary nob and push function for configuring and confirming inputs

<https://www.commercialfridgefreezer.com.au/fagor-ikore-concept-20-trays-combi-oven-cw-201ersws/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

- iClima: Humidity management and control by means of direct measurement with a humidity sensor . 10% regulation capacity
- Fagor Recipe Centre: . 100 factory preset and culinary tested recipes . Storage capacity for more than 100 9-stage recipes
- Air and water cool-down (rapid cabinet cooling function)
- Cooking modes: low temperature steam 30-98°, steam 99°, super steam 100- 130°, mixed 30-300° and convection 30-300°
- Chamber dehumidification for crispy roasts - Delta cooking

DIRECTSTEAM:

- Steam generation by injecting water into the turbine, atomising the water and converting it into steam.

CONTROLS:

- Languages: 5
- Ability to configure screen tone, volume and contrast.
- Tone: 8
- Power, network, language and system settings.
- SAT and Trade fair mode **EQUIPMENT FEATURES:**
- Stop/start function
- EZ-Sensor. Internal probe with 4 measuring locations
- Positioning aid for temperature sensor
- Manual steam injection
- Automatic humidification system
- Variable humidification with 5 levels
- 6 programmable air circulation speeds (from 1400 rpm to turbine stop)
- Option to switch from °C to °F
- Display of actual values and selected values
- Delayed programming
- Ability to select 1/2 power
- Automatic humidification system
- Automatic dehumidification system
- Automatic adaptation to the characteristics of the installation site (altitude, etc.) including initial self-testing
- Automatic boiling point adjustment
- Removable fan cover
- Integrated turbine brake for increased safety
- HA-Control (indirect combustion, does not pass through the oven chamber)
- Auto-reverse system for reversing fan rotation
- Double-glazed, ventilated cooking chamber door
- Special heat-reflective coating and hinged inner panes for easy cleaning
- LED lighting in the cooking chamber
- HOLD-OPEN DOOR systems (3 locking positions for greater user safety)
- Easily replaceable gasket insert - Interior and outer material: AISI 304 stainless steel (interior mirror polished)

TALLATION SYMBOLS:

- EC declaration of conformity
- EC declaration of gas conformity
- CB safety
- IPX5 protection against splashes and jets of water
- Height adjustable equipment feet (all except 0623)
- Monitor App & Maintenance App (self-diagnosis of warnings and errors)
- Logging App: . Cycle history . Error history

WASHING SYSTEM:

- iWashing (environmentally efficient)
- Choice of iWashing Solid or iWashing Liquid smart washing systems
- Washing programmes:
- 1 basic cleaning programme (spray) . 3 automatic cleaning programmes . 1 rinsing programme . 1 polishing programme
- Indication of cleaning status and remaining time

2 Years Parts and Labour Warranty

Additional Information

Brand	Fagor
Model	CW-201ERSWS
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration
External Dimensions (mm)	898mm (W) x 817mm (D) x 1841mm (H)
Power Information	Power supply = 415V/50Hz; 37.2kW;3N
Packaged Dimensions (mm)	1095mm (W) x 1015mm (D) x 2070mm (H)
Manufacturer's Suggested Retail Price	\$41,990.00