



Turbo Air K-Series KF25-1(Hc) Top Mount Solid door Upright Freezer

\$3,344.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series Top Mount Freezer, model KF25-1(Hc), the ultimate solution for your commercial freezing needs. With its sleek stainless steel exterior and interior, this upright freezer features a solid door and top-mounted design for easy access and efficient storage. Equipped with a high-tech monitor and a digital temperature control system, you can precisely adjust and monitor the interior temperature ranging from -21 to -12 degrees Celsius, ensuring optimal preservation conditions for your frozen products.

Description

The Turbo Air K-Series Top Mount Freezer, model KF25-1(Hc), is a cutting-edge solution for your commercial freezing needs. With its solid door design and top-mounted configuration, this freezer offers efficient storage and easy access to your frozen products. Equipped with a high-tech monitor and a digital temperature control system, you can precisely adjust and monitor the interior temperature, ensuring optimal preservation conditions. The self-cleaning condenser and hot gas condensate system further enhance the unit's performance by preventing dust buildup and reducing the risk of system failure. Using environmentally friendly HC(R290) refrigerant and boasting a spacious 574-liter capacity, this freezer provides ample storage

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-top-mount-solid-door-upright-freezer-kf25-1-hc/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

space for your frozen goods. The inner temperature range of -21 to -12 degrees Celsius guarantees that your products remain frozen and in prime condition. The ventilated cooling system ensures uniform temperature distribution throughout the cabinet, while the high-density, CFC-free polyurethane insulation offers superior thermal efficiency. The adjustable, heavy-duty wire shelves, coated with durable PE, allow for flexible storage configurations to accommodate various items. Not only does the Turbo Air K-Series Freezer excel in functionality, but it also boasts a sleek design. The stainless steel exterior and interior not only enhance the unit's durability but also provide an attractive aesthetic that fits seamlessly into any commercial setting. The digital controller and display allow for easy operation and monitoring, providing convenience and efficiency. With dimensions of 640x850x1926mm (including castors) and a weight of 80kg, this freezer is compact yet spacious enough to meet your freezing needs. The unit operates on 220V-240V/50Hz/1 with a 10-amp Australian plug, ensuring compatibility in various electrical settings. Three adjustable shelves are included, offering versatility and organizational options for your frozen inventory.

Turbo Air - Digital Temperature Control System

1 Solid door Upright Freezer

Top mounted

High-Tech Monitor

Self Cleaning Condenser Applied

HC(R290) Refrigerant applied

Hot Gas Condensate System

Capacity- 574L

Inner Temps -21 to -12

Ventilated Cooling

High-Density and CFC free Polyurethane Insulation

Adjustable, Heavy Duty, PE Coated Wire Shelves

Stainless steel exterior and Interior

Digital Controller and Display

Refrigerant R-290 Amps 2.5, Power-w 380

Dimensions 640x850x1926mm Inc Castors

Weight 80kg

220V-240v/50Hz/1, 10amp Australian Plug

3 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KF25-1-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	-21°~-12°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	640 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	574
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	380W
Door Information	Door hinged = RH
Packaged Dimensions (mm)	686 mm (W) x 896 mm (D) x 2015 mm (H)
GEMS & MEPS Approved	Yes

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-top-mount-solid-door-upright-freezer-kf25-1-hc/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

Manufacturer's Suggested Retail Price

\$4,180.00