

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kf45-2-n-hc-top-mount-double-solid-door-upright-freezer/

Turbo Air K-Series KF45-2-N(HC) Top Mount Double Solid Door Upright Freezer

\$4,888.00 +GST

View more Product Details

Add to Cart

Request a Quote



Introducing the Turbo Air K-Series KF45-2-N(HC) Top Mount Solid Door Upright Freezer, the ultimate storage solution for your business. With its advanced Digital Temperature Control System and high-tech monitor, you have full control over the -21° to -12° temperature range. The self-cleaning condenser, HC(R290) refrigerant, and hot gas condensate system ensure optimal performance and easy maintenance. Boasting a generous capacity of 1215L and six adjustable, heavy-duty wire shelves, this freezer offers unmatched storage versatility.

Description

The Turbo Air K-Series KF45-2-N(HC) Top Mount Solid Door Upright Freezer is a high-performance refrigeration solution designed for commercial use. It features a digital temperature control system, allowing precise adjustment of the internal temperature according to your needs. With two solid doors and a top-mounted design, this freezer provides efficient cooling while maximizing storage space in your establishment.

Equipped with a high-tech monitor, the Turbo Air freezer continuously monitors operating conditions to ensure optimal

performance. The self-cleaning condenser applied in this model prevents dust buildup, ensuring consistent cooling efficiency and reducing maintenance requirements. It utilizes the environmentally friendly HC(R290) refrigerant, and the hot gas condensate system prevents water overflow and enhances energy efficiency.

With a generous capacity of 1215 litres, this freezer offers ample space for storing a wide variety of frozen items. The inner temperature range of -21° to -12° ensures ideal storage conditions, preserving the quality and freshness of your products. The ventilated cooling system ensures uniform distribution of cold air throughout the cabinet, while the high-density and CFC-free polyurethane insulation enhance energy efficiency. The adjustable, heavy-duty, PE-coated wire shelves allow for flexible storage configurations to accommodate items of various sizes.

Turbo Air - Digital Temperature Control System 2 Solid doors Upright Freezer Top mounted High-Tech Monitor Self Cleaning Condenser Applied HC(R290) Refrigerant applied Hot Gas Condensate System Capacity- 1215L Inner Temps -21 to -12 Ventilated Cooling High-Density and CFC free Polyurethane Insulation Adjustable, Heavy Duty, PE Coated Wire Shelves Stainless steel exterior and Interior Digital Controller and Display Refrigerant R-290 Amps 3.5, Power-w 550 Dimensions 1260x850x1926mm Inc Castors Weight 142kg 220V-240v/50Hz/1, 10amp Australian Plug 6 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KF45-2-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	-21°~-12°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1260 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	1215
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	550W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1306 mm (W) x 896 mm (D) x 2015 mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes