

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kf45-2g-n-hc-top-mount-double-glass-door-upright-freezer/


Turbo Air K-Series KF45-2G-N(HC) Top Mount Double Glass Door Upright Freezer

\$6,744.00 +GST

View more Product Details

Add to Cart

Request a Quote



Introducing the Turbo Air K-Series KF45-2G-N(HC) Top Mount Double Glass Door Upright Freezer, a stunning addition to your commercial space. With its sleek design and advanced features, this freezer is a showstopper. The Digital Temperature Control System and high-tech monitor ensure precise temperature management from -21° to -12°. The self-cleaning condenser, HC(R290) refrigerant, and hot gas condensate system guarantee optimal performance and minimal maintenance.

Description

The Turbo Air K-Series KF45-2G-N(HC) Top Mount Double Glass Door Upright Freezer is a high-quality refrigeration solution designed for commercial use. With its digital temperature control system, you can easily adjust and maintain the desired temperature inside the freezer. This model features two glass doors and a top-mounted design, providing efficient cooling performance while maximizing storage capacity in your establishment.

Equipped with a high-tech monitor, the Turbo Air freezer constantly monitors the operating conditions to ensure optimal performance. The self-cleaning condenser applied in this unit prevents dust accumulation, ensuring consistent cooling

efficiency and reducing maintenance requirements. It utilizes the environmentally friendly HC(R290) refrigerant, and the hot gas condensate system helps prevent water overflow while enhancing energy efficiency.

With a generous capacity of 1215 liters, this freezer offers ample space for storing a wide variety of frozen items. The inner temperature range of -21° to -12° ensures ideal storage conditions, preserving the quality and freshness of your products. The ventilated cooling system promotes even distribution of cold air throughout the cabinet, while the high-density and CFC-free polyurethane insulation enhance energy efficiency. The adjustable, heavy-duty, PE-coated wire shelves allow for flexible storage configurations to accommodate items of various sizes.

Turbo Air - Digital Temperature Control System 2 Glass doors Upright Freezer Top mounted High-Tech Monitor Self Cleaning Condenser Applied HC(R290) Refrigerant applied Hot Gas Condensate System Capacity- 1215L Inner Temps -21 to -12c Ventilated Cooling High-Density and CFC free Polyurethane Insulation Adjustable, Heavy Duty, PE Coated Wire Shelves Stainless steel exterior and Interior Digital Controller and Display Refrigerant R-290 Amps 3.5, Power-w 550 Dimensions 1260x850x1926mm Inc Castors Weight 170kg 220V-240v/50Hz/1, 10amp Australian Plug 6 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KF45-2G-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	-21°~-12°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1260 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	1215
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	550W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1306 mm (W) x 956 mm (D) x 2015 mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes