



<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kf65-3-n-hc-top-mount-three-solid-door-upright-freezer/>

Turbo Air K-Series KF65-3-N(HC) Top Mount Three Solid Door Upright Freezer

\$6,456.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KF65-3-N(HC) Top Mount Three Solid Door Upright Freezer, a powerhouse of storage capacity and cutting-edge features. With its Digital Temperature Control System and high-tech monitor, you have precise control over the inner temperatures ranging from -21° to -12°. The self-cleaning condenser, HC(R290) refrigerant, and hot gas condensate system ensure optimal performance and hassle-free maintenance. Boasting a generous capacity of 1876L and nine adjustable, heavy-duty wire shelves, this freezer offers unmatched storage flexibility. The stainless steel exterior and interior guarantee durability and cleanliness, while the high-density polyurethane insulation ensures superior temperature retention.

Description

The Turbo Air K-Series KF65-3-N(HC) Top Mount Three Solid Door Upright Freezer is a high-capacity refrigeration solution designed for commercial use. Featuring a digital temperature control system, you can easily adjust and maintain the desired temperature inside the freezer. With three solid doors and a top-mounted design, this freezer offers efficient cooling performance while maximizing storage space in your establishment.

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kf65-3-n-hc-top-mount-three-solid-door-upright-freezer/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

With a spacious capacity of 1876 liters, this freezer provides ample space for storing a large quantity of frozen items. The inner temperature range of -21° to -12° ensures ideal storage conditions, preserving the quality and freshness of your products. The ventilated cooling system ensures even distribution of cold air throughout the cabinet, while the high-density and CFC-free polyurethane insulation enhance energy efficiency. The adjustable, heavy-duty, PE-coated wire shelves allow for flexible storage configurations to accommodate items of various sizes.

The Turbo Air K-Series KF65-3-N(HC) freezer features a durable stainless steel exterior and interior, making it easy to clean and resistant to corrosion. The digital controller and display offer user-friendly operation and clear temperature monitoring. With a power consumption of 750 watts and an amp rating of 4.5, this freezer provides both high performance and energy efficiency. It comes with nine adjustable shelves included, allowing you to customize the storage space according to your needs. With dimensions of 1900mm x 850mm x 1926mm (including castors) and weighing 167kg, this freezer is designed to withstand the demands of commercial environments. It operates on a 220V-240V/50Hz/1 power supply and comes with a 10amp Australian plug.

Turbo Air - Digital Temperature Control System
 3 Solid doors Upright Freezer
 Top mounted
 High-Tech Monitor
 Self Cleaning Condenser Applied
 HC(R290) Refrigerant applied
 Hot Gas Condensate System
 Capacity- 1876L
 Inner Temps -21 to -12
 Ventilated Cooling
 High-Density and CFC free Polyurethane Insulation
 Adjustable, Heavy Duty, PE Coated Wire Shelves
 Stainless steel exterior and Interior
 Digital Controller and Display
 Refrigerant R-290 Amps 4.5, Power-w 750
 Dimensions 1900x850x1926mm Inc Castors
 Weight 167kg
 220V-240v/50Hz/1, 10amp Australian Plug
 9 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KF65-3-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	-21°~-12°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1900 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	1876
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	750W
Door Information	Door hinged = LH, RH

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kf65-3-n-hc-top-mount-three-solid-door-upright-freezer/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

Packaged Dimensions (mm)	1946 mm (W) x 896mm (D) x 2015 mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$8,070.00