

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kr25-2g-n-hc-two-half-glass-door-top-mount-upright-refrigerator/

Turbo Air K-Series KR25-2G-N(HC) Two Half Glass Door Top Mount Upright Refrigerator

\$3,648.00 +GST

View more Product Details

Add to Cart

Request a Quote



Introducing the Turbo Air K-Series KR25-2G-N(HC) Two Half Glass Door Top Mount Upright Refrigerator, a perfect combination of functionality and style for your commercial refrigeration needs. With its top-mounted design and sleek glass doors, this refrigerator offers a modern and attractive display for your products. The digital temperature control system and high-tech monitor ensure precise temperature adjustments between 1° and 8°, providing optimal storage conditions for your items. The self-cleaning condenser feature eliminates the need for manual cleaning, saving you time and effort. Powered by HC(R290) refrigerant and equipped with a hot gas condensate system, this unit is environmentally friendly and energy efficient.

Description

The Turbo Air K-Series KR25-2G-N(HC) Two Half Glass Door Top Mount Upright Refrigerator is a high-quality commercial refrigeration unit designed for efficient and reliable food storage. It offers a combination of functionality, durability, and energy efficiency.

This refrigerator is equipped with a digital temperature control system, allowing you to easily set and monitor the internal temperature according to your specific requirements. The high-tech monitor provides real-time information about the operating status and temperature conditions, ensuring precise control and monitoring.

With its two half glass doors and top-mounted configuration, this upright fridge provides easy access to the stored items while optimizing space utilization. The self-cleaning condenser prevents dust buildup, improving the unit's performance and reducing maintenance needs. The refrigerator utilizes the environmentally friendly HC(R290) refrigerant, which has a low impact on the environment.

The hot gas condensate system effectively prevents condensation, ensuring optimal performance and efficiency. The capacity of 572 liters provides ample space for storing a variety of food items. The inner temperature can be set within the range of 1° to 8°, offering flexibility for different storage needs.

Turbo Air - Digital Temperature Control System 2 Half Glass doors Upright Fridge Top mounted High-Tech Monitor Self Cleaning Condenser Applied HC(R290) Refrigerant applied Hot Gas Condensate System Capacity- 572L Inner Temps 1 to 8 Ventilated Cooling High-Density and CFC free Polyurethane Insulation Adjustable, Heavy Duty, PE Coated Wire Shelves Stainless steel exterior and Interior Digital Controller and Display Refrigerant R-290 Amps 2.0, Power-w 300 Dimensions 640x850x1926mm Inc Castors Weight 87kg 220V-240v/50Hz/1, 10amp Australian Plug 3 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KR25-2G-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	640 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	572
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Door Information	Door hinged = RH
Packaged Dimensions (mm)	686 mm (W) x 956mm (D) x 2015mm (H)

Interior Lighting	Yes
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$4,560.00