



<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kr45-4-n-hc-solid-four-half-door-top-mount-upright-refrigerator/>

# Turbo Air K-Series KR45-4-N(HC) Solid Four Half Door Top Mount Upright Refrigerator

**\$4,056.00** +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KR45-4-N(HC) Solid Four Half Door Top Mount Upright Refrigerator, a versatile and reliable solution for your commercial refrigeration needs. With its top-mounted design and four half doors, this refrigerator offers easy access and efficient organization of your stored items. The digital temperature control system and high-tech monitor allow you to precisely set and monitor the inner temperatures, ranging from 1° to 8°, ensuring optimal storage conditions for your products. The self-cleaning condenser feature eliminates the need for manual cleaning, improving the longevity and performance of the refrigerator. Powered by HC(R290) refrigerant and equipped with a hot gas condensate system, this unit is eco-friendly and energy-efficient, helping you reduce your environmental footprint. The ventilated cooling system and high-density, CFC-free polyurethane insulation ensure consistent and even cooling throughout the cabinet, maintaining the freshness and quality of your stored items.

## Description

---

The Turbo Air K-Series KR45-4-N(HC) Solid Four Half Door Top Mount Upright Refrigerator is a commercial refrigeration unit designed for efficient cooling and convenient storage of food items. It is equipped with a range of features to meet the needs of businesses in the food industry.

This refrigerator features a digital temperature control system, allowing you to easily set and monitor the internal temperature according to your specific requirements. The high-tech monitor provides real-time information about the operating status and temperature conditions, enabling precise control and monitoring.

With its four half doors and top-mounted configuration, this upright fridge offers easy access to the stored items while optimizing space utilization. The self-cleaning condenser feature helps prevent dust accumulation, ensuring optimal performance and reducing the need for maintenance.

The refrigerator utilizes the environmentally friendly HC(R290) refrigerant, which has a low impact on the environment. It also incorporates a hot gas condensate system, which effectively prevents condensation and ensures efficient operation.

With a capacity of 1210 liters, this refrigerator provides ample space for storing a variety of food items. The inner temperature can be set within the range of 1° to 8°, allowing for flexible storage options.

Turbo Air - Digital Temperature Control System  
4 Half doors Upright Fridge  
Top mounted  
High-Tech Monitor  
Self Cleaning Condenser Applied  
HC(R290) Refrigerant applied  
Hot Gas Condensate System  
Capacity- 1210L  
Inner Temps 1 to 8  
Ventilated Cooling  
High-Density and CFC free Polyurethane Insulation  
Adjustable, Heavy Duty, PE Coated Wire Shelves  
Stainless steel exterior and Interior  
Digital Controller and Display  
Refrigerant R-290 Amps 2.5, Power-w 350  
Dimensions 1260x850x1926mm Inc Castors  
Weight 142kg  
220V-240v/50Hz/1, 10amp Australian Plug  
6 Adjustable shelves included

## Additional Information

---

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KR45-4-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kr45-4-n-hc-solid-four-half-door-top-mount-upright-refrigerator/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

External Dimensions (mm)	1260 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	1210
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1306 mm (W) x 896mm (D) x 2015mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$5,070.00