



<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kr45-4g-n-hc-four-half-glass-door-top-mount-upright-refrigerator/>

Turbo Air K-Series KR45-4G-N(HC) Four Half Glass Door Top Mount Upright Refrigerator

\$5,208.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KR45-4G-N(HC) Four Half Glass Door Top Mount Upright Refrigerator, a reliable and efficient refrigeration solution for commercial use. This refrigerator features a top-mounted design and four half glass doors, providing easy access and an attractive display of your products. The digital temperature control system and high-tech monitor allow precise temperature adjustments, with inner temperature settings ranging from 1° to 8°. The self-cleaning condenser feature helps to prevent dust accumulation and maintain the unit's performance over time. Utilizing HC(R290) refrigerant and a hot gas condensate system, this refrigerator is environmentally friendly and energy-efficient. The ventilated cooling system ensures consistent and even cooling throughout the cabinet, while the high-density, CFC-free polyurethane insulation helps to preserve the freshness and quality of your stored items.

Description

The Turbo Air K-Series KR45-4G-N(HC) Four Half Glass Door Top Mount Upright Refrigerator is a commercial refrigeration unit designed for efficient cooling and convenient storage of food items. It is equipped with a range of features to meet the needs of businesses in the food industry. This refrigerator features a digital temperature control system, allowing you to easily set and monitor the internal temperature according to your specific requirements. The high-tech monitor provides real-time information about the operating status and temperature conditions, enabling precise control and monitoring.

With its four half glass doors and top-mounted configuration, this upright fridge offers easy access to the stored items while optimizing space utilization. The glass doors provide visibility into the refrigerator, allowing for quick product identification without the need to open the doors. The self-cleaning condenser feature helps prevent dust accumulation, ensuring optimal performance and reducing the need for maintenance. This results in improved efficiency and durability of the refrigeration system.

The refrigerator utilizes the environmentally friendly HC(R290) refrigerant, which has a low impact on the environment. It also incorporates a hot gas condensate system, which effectively prevents condensation and ensures efficient operation. With a capacity of 1210 liters, this refrigerator provides ample space for storing a variety of food items. The inner temperature can be set within the range of 1° to 8°, allowing for flexible storage options.

Turbo Air - Digital Temperature Control System
4 Half Glass doors Upright Fridge
Top mounted
High-Tech Monitor
Self Cleaning Condenser Applied
HC(R290) Refrigerant applied
Hot Gas Condensate System
Capacity- 1210L
Inner Temps 1 to 8
Ventilated Cooling
High-Density and CFC free Polyurethane Insulation
Adjustable, Heavy Duty, PE Coated Wire Shelves
Stainless steel exterior and Interior
Digital Controller and Display
Refrigerant R-290 Amps 2.5, Power-w 350
Dimensions 1260x850x1926mm Inc Castors
Weight 152kg
220V-240v/50Hz/1, 10amp Australian Plug
6 Adjustable shelves included

Additional Information

| | |
|--------------------------------------|-----------------------------|
| Country of Manufacture | Asia |
| External Colour | Stainless Steel |
| Brand | Turbo Air |
| Model | KR45-4G-N |
| Warranty | 3 Years on Parts and Labour |
| Temperature Operating Range C | 1°~8° |
| Temperature Display / Control | Digital control |
| Climate / Ambient Temperature Rating | 35° |
| Refrigerant | R-290 |

| | |
|---------------------------------------|--|
| External Dimensions (mm) | 1260 mm (W) x 850 mm (D) x 1926 mm (H) |
| Capacity/Volume | 1210 |
| Other Details | Turbo Air Self Cleaning Condenser Upright Top Mount on castors |
| Power Usage | 280W |
| Door Information | Door hinged = LH, RH |
| Packaged Dimensions (mm) | 1306 mm (W) x 956mm (D) x 2015mm (H) |
| Interior Lighting | Yes |
| GEMS & MEPS Approved | Yes |
| Manufacturer's Suggested Retail Price | \$6,510.00 |