



Turbo Air K-Series KR65-6-N(HC) Solid Six Half Door Top Mount Upright Refrigerator

\$5,976.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KR65-6-N(HC) Solid Six Half Door Top Mount Upright Refrigerator, a powerful and efficient refrigeration solution designed for commercial environments. This refrigerator features a top-mounted design with six half doors, offering convenient access and efficient storage for your perishable items. Equipped with a digital temperature control system and a high-tech monitor, you can easily adjust and monitor the inner temperature of the refrigerator. The temperature range can be set between 1° and 8°, ensuring optimal storage conditions for a wide variety of products.

Description

The Turbo Air K-Series KR65-6-N(HC) Solid Six Half Door Top Mount Upright Refrigerator is a commercial refrigeration unit designed for efficient storage and organization of food items. This refrigerator offers advanced features and a spacious interior to meet the needs of businesses in the food industry. Equipped with a digital temperature control system, this refrigerator allows precise temperature management. You can easily set and monitor the internal temperature using the digital controller and display, ensuring optimal storage conditions for your products.

The top-mounted configuration of this upright fridge provides convenient access to the stored items. It features six half doors, allowing for separate compartments and easy organization of products. This design facilitates efficient retrieval of items while minimizing temperature loss. The self-cleaning condenser applied in this refrigerator helps prevent dust accumulation, ensuring reliable performance and reducing the frequency of maintenance. This feature contributes to the longevity and efficiency of the refrigeration system.

Using HC (R290) refrigerant, this unit offers an environmentally friendly cooling solution. The hot gas condensate system effectively prevents condensation, ensuring efficient operation and preventing moisture-related issues.

Turbo Air - Digital Temperature Control System
 6 Half doors Upright Fridge
 Top mounted
 High-Tech Monitor
 Self Cleaning Condenser Applied
 HC(R290) Refrigerant applied
 Hot Gas Condensate System
 Capacity- 1868L
 Inner Temps 1 to 8
 Ventilated Cooling
 High-Density and CFC free Polyurethane Insulation
 Adjustable, Heavy Duty, PE Coated Wire Shelves
 Stainless steel exterior and Interior
 Digital Controller and Display
 Refrigerant R-290 Amps 3.0, Power-w 450
 Dimensions 1900x850x1926mm Inc Castors
 Weight 167kg
 220V-240v/50Hz/1, 10amp Australian Plug
 9 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KR65-6-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1900 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	1868
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	450W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1946 mm (W) x 896mm (D) x 2015mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes

Manufacturer's Suggested Retail Price

\$7,470.00