

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kr65-6g-n-hc-six-half-glass-door-top-mount-upright-refrigerator/

Turbo Air K-Series KR65-6G-N(HC) Six Half Glass Door Top Mount Upright Refrigerator

\$7,056.00 +GST

View more Product Details

Add to Cart

Request a Quote



Introducing the Turbo Air K-Series KR65-6G-N(HC) Six Half Glass Door Top Mount Upright Refrigerator, a versatile and efficient refrigeration solution for commercial applications. This refrigerator is equipped with six half glass doors, allowing easy visibility and access to your stored items. The unit features a top-mounted design, which is ideal for maximizing storage space and ensuring efficient operation. The digital temperature control system and high-tech monitor enable you to precisely adjust and monitor the internal temperature, ensuring optimal storage conditions for your products. The temperature can be set in the range of 1° to 8°, accommodating a variety of perishable goods.

Description

The Turbo Air K-Series KR65-6-N(HC) Solid Six Half Door Top Mount Upright Refrigerator is a commercial refrigeration unit designed for efficient storage and organization of food items. This refrigerator offers advanced features and a spacious interior to meet the needs of businesses in the food industry.

Equipped with a digital temperature control system, this refrigerator allows precise temperature management. You can easily

set and monitor the internal temperature using the digital controller and display, ensuring optimal storage conditions for your products. The top-mounted configuration of this upright fridge provides convenient access to the stored items. It features six half doors, allowing for separate compartments and easy organization of products. This design facilitates efficient retrieval of items while minimizing temperature loss.

The self-cleaning condenser applied in this refrigerator helps prevent dust accumulation, ensuring reliable performance and reducing the frequency of maintenance. This feature contributes to the longevity and efficiency of the refrigeration system. Using HC (R290) refrigerant, this unit offers an environmentally friendly cooling solution. The hot gas condensate system effectively prevents condensation, ensuring efficient operation and preventing moisture-related issues. With a capacity of 1868 liters, this refrigerator provides ample space for storing a large quantity of food items. The inner temperature can be set within the range of 1° to 8°, allowing you to customize the storage conditions based on your specific requirements.

Turbo Air - Digital Temperature Control System 6 Half Glass doors Upright Fridge Top mounted High-Tech Monitor Self Cleaning Condenser Applied HC Refrigerant applied Hot Gas Condensate System Capacity- 1868 Litre Inner Temps 1 to 8 **Ventilated Cooling** High-Density and CFC free Polyurethane Insulation Adjustable, Heavy Duty, PE Coated Wire Shelves Stainless steel exterior and Interior Refrigerant R-290 Amps 3.0, Power-w 450 Dimensions 1900x850x1926mm Inc Castors Weight 177kg 220V-240v/50Hz/1, 10amp Australian Plug 9 Adjustable shelves included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KR65-6G-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1900 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	1868
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	450W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1946 mm (W) x 956mm (D) x 2015mm (H)
Interior Lighting	Yes

GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$8,820.00