

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-krf45-4-n-hc-solid-four-half-door-dual-temperature-top-mount-upright-refrigerator/

Turbo Air K-Series KRF45-4-N(HC) Solid Four Half Door Dual Temperature Top Mount Upright Refrigerator

\$5,608.00 +GST

View more Product Details

Add to Cart

Request a Quote



Introducing the Turbo Air K-Series KRF45-4-N(HC) Solid Four Half Door Dual Temperature Top Mount Upright Refrigerator, a versatile and efficient refrigeration solution designed for commercial use. This unit offers both refrigerator and freezer compartments in one appliance, allowing you to store perishable and frozen items separately. With its four half doors, this upright fridge/freezer provides convenient access to the stored items while maintaining independent temperature control for each compartment. The top-mounted design maximizes storage capacity and ensures efficient operation in your commercial kitchen or foodservice establishment.

Description

The Turbo Air K-Series KRF45-4-N(HC) Solid Four Half Door Dual Temperature Top Mount Upright Refrigerator is a versatile refrigeration unit designed to provide both refrigeration and freezing capabilities. It offers advanced features and a spacious

interior, making it suitable for commercial settings that require separate temperature zones for different types of products.

Equipped with a digital temperature control system, this refrigerator allows you to easily set and monitor the internal temperatures of both the refrigerator and freezer compartments. The high-tech monitor provides convenient access to temperature information, ensuring optimal storage conditions for your perishable items. With a top-mounted configuration, this upright fridge/freezer offers easy access to the stored contents. It features four half doors, allowing separate access to different temperature zones within the unit. This design minimizes temperature fluctuations and energy loss when opening only one section, making it ideal for storing a variety of products with different temperature requirements.

The self-cleaning condenser applied in this unit prevents dust accumulation, ensuring the longevity and efficiency of the cooling system. By automatically removing dust and debris, it reduces the need for manual cleaning and maintenance, contributing to the unit's reliability and performance. This refrigerator utilizes HC refrigerant (R290), which is environmentally friendly and has minimal impact on the ozone layer. The hot gas condensate system effectively prevents condensation, ensuring reliable performance and minimizing moisture-related issues. The capacity of this appliance is divided between the refrigerator and freezer compartments. The refrigerator compartment has a capacity of 242 liters, while the freezer compartment offers a capacity of 222 liters. This allows for ample storage space for both chilled and frozen items.

Turbo Air - Digital Temperature Control System 4 Half doors Upright Fridge/Freezer Top mounted High-Tech Monitor Self Cleaning Condenser Applied HC(R290) Refrigerant applied Hot Gas Condensate System Capacity- F 242L, R 222L Inner Temps F -21 to -12 & R 1 to 8 Ventilated Cooling High-Density and CFC free Polyurethane Insulation Adjustable, Heavy Duty, PE Coated Wire Shelves Stainless steel exterior and Interior Digital Controller and Display Refrigerant R-290 Amps 4.5, Power-w 600 Dimensions 1260x850x1926mm Inc Castors Weight 152kg 220V-240v/50Hz/1, 10amp Australian Plug 4 Adjustable shelves included

Additional Information

Page 2

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KRF45-4H-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	R:1°~-8° F:-21°~-12°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1260 mm (W) x 850 mm (D) x 1926 mm (H)
Capacity/Volume	F:576 R:576
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors

Power Usage	600W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1306 mm (W) x 896mm (D) x 2015mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$7,010.00