



<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kur18-3d-3-n-hc-stainless-steel-2-solid-door-3-drawers-under-bench-refrigerator/>

Turbo Air K-Series KUR18-3D-3-N(HC) Stainless Steel 2 Solid Door 3 Drawers Under Bench Refrigerator

\$4,224.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



The Turbo Air K-Series KUR18-3D-3-N(HC) Stainless Steel 2 Solid Door 3 Drawers Under Bench Refrigerator is a versatile and efficient refrigeration solution suitable for commercial settings. Equipped with a digital temperature control system and a left-hand side compressor, it ensures precise cooling and temperature management. The front breathing system and hot gas condensate system further enhance its performance. This under-bench fridge features two solid doors and three drawers, providing ample storage space. It can accommodate three full-size 100mm deep GN-pans, offering a capacity of 360 liters. With inner temperature settings ranging from 1 to 8, it allows for optimal customization. The refrigerator utilizes a ventilated cooling system and high-density, CFC-free polyurethane insulation for efficient operation. Its stainless steel exterior and interior (SUS 439) ensure durability and hygiene. Operating on 220V-240V power with a 10-amp plug, it includes two adjustable shelves for convenient organization. Please note that GN pans are not included, and the maximum depth for compatible pans is 100mm. The refrigerator does not feature LED lighting.

Description

The Turbo Air K-Series KUR18-3D-3-N(HC) Stainless Steel 2 Solid Door 3 Drawers Under Bench Refrigerator is a versatile and efficient refrigeration solution for commercial kitchens. This underbench fridge features two solid doors and three drawers, offering a combination of storage options for easy organization of perishable items. Equipped with a digital temperature control system, it allows precise regulation of the interior temperature. The left-hand side compressor and front breathing system ensure efficient cooling and ventilation. The high-tech monitor enables easy monitoring and adjustment of the inner temperature, ranging from 1 to 8 degrees Celsius.

This refrigerator utilizes HC refrigerant and a hot gas condensate system, making it environmentally friendly and energy-efficient. With a capacity of 360 liters and compatibility with three full-size 100mm deep GN-pans (GN pans not included), it provides ample storage for a variety of ingredients. The ventilated cooling system ensures even temperature distribution, while the high-density and CFC-free polyurethane insulation help maintain the desired temperature effectively.

The exterior and interior of the Turbo Air K-Series KUR18-3D-3-N(HC) are made of stainless steel, specifically SUS 439, ensuring durability and easy cleaning. With dimensions of 1800x700x855mm (including castors) and a weight of 107Kgs, this underbench refrigerator is compact and maneuverable. It operates on a power supply of 220V-240V/50Hz/1 with a 10amp plug, consuming only 280W.

Turbo Air - Digital Temperature Control System
2 Doors 3 Drawers Underbench Fridge
Left hand side Compressor
Front breathing system applied
High-Tech Monitor
HC Refrigerant applied
Hot Gas Condensate System
Capacity - 2 door & 3 full size 100mm deep GN-pans (360???????? + 3 X 1/1 GN pans)
Inner Temps 1 to 8
Ventilated Cooling
High-Density and CFC free Polyurethane Insulation
Stainless steel exterior and Interior SUS 439
Refrigerant R-290 Amps 1.4, Power 280W
Dimensions 1800x700x855mm Inc Castors
Weight 107Kgs
220V-240v/50Hz/1, 10amp plug
2 Adjustable shelves included
GN pans not included
Maximum 100mm deep GN pan
No LED

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KUR18-3D-3-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290

External Dimensions (mm)	1800 mm (W) x 700 mm (D) x 855 mm (H)
Capacity/Volume	538
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Packaged Dimensions (mm)	1870 mm (W) x 760 mm (D) x 1105 mm (H)
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$5,280.00