

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kur9-2d-2-n-hc-stainless-steel-2-drawer-under-bench-refrigerator/

## Turbo Air K-Series KUR9-2D-2-N(HC) Stainless Steel 2 Drawer Under Bench Refrigerator

\$3,016.00 +GST

**View more Product Details** 

**Add to Cart** 

**Request a Quote** 



The Turbo Air K-Series KUR9-2D-2-N(HC) Stainless Steel 2 Drawer Under Bench Refrigerator is a compact and efficient refrigeration solution designed for commercial use. It is equipped with a digital temperature control system and a left-hand side compressor, ensuring precise and reliable cooling. The front breathing system and hot gas condensate system contribute to its optimal performance. This under-bench fridge features two drawers, providing convenient storage space. It is capable of accommodating two full-size 150mm deep GN-pans or two 1/1 GN pans. The refrigerator offers inner temperature settings ranging from 1 to 8 for flexible cooling options. It utilizes ventilated cooling, high-density, and CFC-free polyurethane insulation to ensure efficient operation and temperature consistency. The stainless steel exterior and interior (SUS 439) guarantee durability and hygiene. Operating on 220V-240V power with a 10-amp plug, the refrigerator has dimensions of 900x700x855mm (including castors) and weighs 84 kilograms. Please note that adjustable shelves are not included, and GN pans and LED lighting are not provided.

## **Description**

The Turbo Air K-Series KUR9-2D-2-N(HC) Stainless Steel 2 Drawer Under Bench Refrigerator is a compact and versatile refrigeration solution designed for commercial kitchens. With two drawers, this underbench fridge offers convenient storage for perishable items while maximizing space efficiency.

Equipped with a digital temperature control system, this refrigerator allows precise regulation of the interior temperature. The left-hand side compressor and front breathing system ensure efficient cooling and ventilation, maintaining optimal storage conditions. The high-tech monitor enables easy monitoring and adjustment of the inner temperature, which can be set between 1 to 8 degrees Celsius.

The Turbo Air K-Series KUR9-2D-2-N(HC) utilizes HC refrigerant and a hot gas condensate system, making it an environmentally friendly and energy-efficient choice. With a capacity of two full-size 150mm deep GN-pans (GN pans not included), it provides storage for a variety of ingredients. The ventilated cooling system ensures even temperature distribution, while the high-density and CFC-free polyurethane insulation help maintain the desired temperature effectively.

Turbo Air - Digital Temperature Control System 2 Drawers Underbench Fridge Left hand side Compressor Front breathing system applied High-Tech Monitor HC Refrigerant applied Hot Gas Condensate System Capacity - 2 full size 150mm deep GN-pans (2 x 1/1 GN pans) Inner Temps 1 to 8 Ventilated Cooling High-Density and CFC free Polyurethane Insulation Stainless steel exterior and Interior SUS 439 Refrigerant R-290 Amps 1.4, Power 280W Dimensions 900x700x855mm Inc Castors Weight 84Kgs 220V-240v/50Hz/1, 10amp plug 0 Adjustable shelves included GN pans not included Maximum 150mm deep GN pan No LED light

## **Additional Information**

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KUR9-2D-2-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	900 mm (W) x 700 mm (D) x 855 mm (H)
Capacity/Volume	198

Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Packaged Dimensions (mm)	970 mm (W) x 760 mm (D) x 925 mm (H)
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$3,770.00