



Turbo Air K-Series KGR15-2S-N(600)(HC) 2 Glass Door Under Bench Fridge

\$3,568.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Elevate your refrigeration experience with the Turbo Air K-Series KGR15-2S-N(600)(HC) 2 Glass Door Under Bench Fridge. Crafted for superior performance, this fridge features Turbo Air's state-of-the-art Digital Temperature Control System, offering precision cooling at your fingertips. Its 2 elegant glass doors, paired with a left-hand side compressor and front breathing system, ensure seamless operation even in tight spaces. The inclusion of a High-Tech Monitor guarantees constant monitoring of your stored items.

Description

Experience superior refrigeration performance with the Turbo Air K-Series KGR15-2S-N(600)(HC) 2 Glass Door Under Bench Fridge. Engineered with Turbo Air's renowned Digital Temperature Control System, this fridge offers precise temperature management, ensuring your stored items remain at their optimal freshness. Designed for convenience and efficiency, this unit features two glass doors that provide a clear view of your inventory, while the left-hand side compressor and front-breathing system optimize space utilization in any kitchen setup. The innovative Hot Gas Condensate System maintains a dry interior

environment, preventing unwanted moisture buildup.

With a generous capacity of 319 liters, this under bench fridge offers ample space for your perishables. The adjustable, heavy-duty, PE coated wire shelves allow for flexible storage configurations, while the ventilated cooling and inner temperature range of 1 to 8 degrees Celsius guarantee uniform chilling throughout the unit. Turbo Air's commitment to sustainability is evident through the utilization of high-density, CFC-free polyurethane insulation, ensuring both energy efficiency and environmentally-friendly operation. The stainless steel exterior and interior not only enhance durability but also provide a sleek and professional appearance.

Operating on the HC Refrigerant, this fridge is equipped with a high-tech monitor, offering advanced monitoring and control features. With compact dimensions of 1500x600x855mm (including castors) and a weight of 90Kgs, it seamlessly fits into your kitchen space. The unit is compatible with 220V-240V/50Hz/1 power supply and comes with a 10amp plug for easy setup. Two adjustable shelves are included, offering customizable storage options to suit your needs.

- Turbo Air - Digital Temperature Control System
- 2 Glass doors Underbench Fridge
- Left hand side Compressor
- Front breathing system applied
- High-Tech Monitor
- HC Refrigerant applied
- Hot Gas Condensate System
- Capacity - 425 Litre
- Inner Temps 1 to 8
- Ventilated Cooling
- High-Density and CFC free Polyurethane Insulation
- Adjustable, Heavy Duty, PE Coated Wire Shelves
- Stainless steel exterior and Interior
- Refrigerant R-290 Amps 1.4, Power 280W
- Dimensions 1500x700x855mm Inc Castors
- Weight 110Kgs
- 220V-240v/50Hz/1, 10amp plug
- 2 Adjustable shelf included

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KGR15-2S-N
Warranty	3 years parts & labour
Temperature Operating Range C	1°C~8°C
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°C
Refrigerant	R-290
External Dimensions (mm)	1500 mm (W) x 600 mm (D) x 855 mm (H)
Capacity/Volume	319
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Door Information	Door hinged = LH, RH
Packaged Dimensions (mm)	1570 mm (W) x 720mm (D) x 925mm (H)

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kgr15-2s-n-600-hc-2-glass-door-under-bench-fridge/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

Interior Lighting	Yes
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$4,460.00