



Turbo Air K-Series KUR12-2S-N(600)(HC) Stainless Steel 2 Solid Doors Under Bench Refrigerator

\$2,584.00 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KUR12-2S-N(600)(HC) Stainless Steel 2 Solid Doors Under Bench Refrigerator – an epitome of advanced refrigeration with enduring style. Engineered with Turbo Air's sophisticated Digital Temperature Control System, this refrigerator ensures precise temperature regulation, preserving the freshness of your stored items. Its robust solid doors, coupled with a left-hand side compressor and front breathing system, guarantee seamless operation even in compact spaces. The integrated High-Tech Monitor offers continuous monitoring for added convenience. Prioritizing sustainability, it features an HC Refrigerant and Hot Gas Condensate System. With a capacity of 234L and adjustable heavy-duty wire shelves, it caters to diverse storage needs.

Description

Turbo Air K-Series KUR12-2S-N(600)(HC) Stainless Steel 2 Solid Doors Under Bench Refrigerator, a cutting-edge addition to your

kitchen that combines sleek design with advanced refrigeration technology. Engineered with Turbo Air's innovative Digital Temperature Control System, this refrigerator ensures precise temperature regulation, maintaining your perishables in optimal conditions. With its robust stainless steel exterior and interior, this under bench refrigerator not only ensures durability but also adds a touch of modern elegance to your culinary workspace. The two solid doors provide easy access to your stored items, while the left-hand side compressor and front-breathing system maximize space utilization and seamlessly integrate into your kitchen layout.

Equipped with a high-tech monitor and powered by the environmentally friendly HC Refrigerant, this refrigerator offers state-of-the-art monitoring and control features for efficient and reliable performance. The ingenious Hot Gas Condensate System maintains a dry interior environment, preventing moisture buildup and enhancing the longevity of your stored goods. Featuring a capacity of 234 liters, the Turbo Air KUR12-2S-N(600)(HC) refrigerator provides ample space for your culinary essentials. The inner temperature range of 1 to 8 degrees Celsius, coupled with ventilated cooling, ensures consistent and efficient cooling throughout the unit.

The refrigerator is equipped with adjustable, heavy-duty, PE coated wire shelves, offering flexible storage configurations tailored to your needs. The use of high-density, CFC-free polyurethane insulation highlights Turbo Air's commitment to energy efficiency and environmental sustainability. Measuring 1200x600x855mm (including castors) and weighing 71Kgs, this unit is designed for easy placement and mobility. It operates on a 220V-240V/50Hz/1 power supply with a 10amp plug, ensuring effortless setup. Two adjustable shelves are included, providing versatile storage options to accommodate your culinary requirements.

- Turbo Air - Digital Temperature Control System
- 1 Door 3 Drawers Underbench Fridge
- Left hand side Compressor
- Front breathing system applied
- High-Tech Monitor
- HC Refrigerant applied
- Hot Gas Condensate System
- Capacity - 1 door & 3 full size 100mm deep GN-pans (155???????? + 3 X 1/1 GN pans)
- Inner Temps 1 to 8
- Ventilated Cooling
- High-Density and CFC free Polyurethane Insulation
- Stainless steel exterior and Interior SUS 439
- Refrigerant R-290 Amps 1.4, Power 280W
- Dimensions 1200x700x855mm Inc Castors
- Weight 97Kgs
- 220V-240v/50Hz/1, 10amp plug
- 1 Adjustable shelves included
- GN pans not included
- Maximum 100mm deep GN pan
- No LED

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KUR12-2S-N
Warranty	3 years parts & labour
Temperature Operating Range C	1°C~8°C
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°C

Refrigerant	R-290
External Dimensions (mm)	1270 mm (W) x 660 mm (D) x 925 mm (H)
Capacity/Volume	234
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Packaged Dimensions (mm)	1270 mm (W) x 660 mm (D) x 925 mm (H)
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$3,230.00