



# Turbo Air K-Series KUR15-2S-N(600)(HC) Stainless Steel 2 Solid Door Under Bench Refrigerator

**\$2,808.00** +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KUR15-2S-N(600)(HC) Stainless Steel 2 Solid Door Under Bench Refrigerator – an embodiment of advanced refrigeration designed for lasting elegance. Engineered with Turbo Air's innovative Digital Temperature Control System, this refrigerator ensures precise temperature management, preserving the quality of your stored items. Its robust solid doors, combined with a left-hand side compressor and front breathing system, guarantee seamless operation, even in limited spaces. The integrated High-Tech Monitor offers continuous oversight, enhancing user convenience. Prioritizing sustainability, it employs an HC Refrigerant and Hot Gas Condensate System. With a generous 319L capacity and adjustable heavy-duty wire shelves, it adapts effortlessly to varying storage needs. The stainless steel exterior and interior, along with high-density CFC-free polyurethane insulation, ensure durability and energy-efficient cooling.

## Description

---

Turbo Air K-Series KUR15-2S-N(600)(HC) Stainless Steel 2 Solid Door Under Bench Refrigerator, a seamless fusion of advanced refrigeration technology and elegant design for your culinary workspace. Engineered with Turbo Air's cutting-edge Digital Temperature Control System, this refrigerator ensures precise temperature management, guaranteeing the freshness and quality of your stored items. With a sleek stainless steel exterior and interior, this under bench refrigerator not only embodies durability but also adds a touch of modern sophistication to your kitchen aesthetic. The two solid doors provide easy access to your stored inventory, while the left-hand side compressor and front-breathing system optimize space utilization and effortlessly integrate into your kitchen layout.

Equipped with a high-tech monitor and powered by the environmentally friendly HC Refrigerant, this refrigerator offers state-of-the-art monitoring and control features for efficient and reliable performance. The innovative Hot Gas Condensate System maintains a dry interior environment, preventing moisture accumulation and prolonging the lifespan of your stored goods. Boasting a generous capacity of 319 liters, the Turbo Air KUR15-2S-N(600)(HC) refrigerator offers ample storage space for your culinary essentials. The inner temperature range of 1 to 8 degrees Celsius, in combination with ventilated cooling, ensures consistent and efficient cooling throughout the unit.

The refrigerator is equipped with adjustable, heavy-duty, PE coated wire shelves, providing customizable storage configurations tailored to your needs. The use of high-density, CFC-free polyurethane insulation underscores Turbo Air's commitment to energy efficiency and environmental sustainability. Measuring 1500x600x855mm (including castors) and weighing 79Kgs, this unit is designed for easy placement and mobility. It operates on a 220V-240V/50Hz/1 power supply with a 10amp plug, ensuring convenient setup. Two adjustable shelves are included, offering versatile storage options to accommodate your culinary requirements.

- Turbo Air - Digital Temperature Control System
- 2 Solid door underbench Fridge
- Left hand side Compressor
- Front breathing system applied
- High-Tech Monitor
- HC Refrigerant applied
- Hot Gas Condensate System
- Capacity 425L
- Inner Temps 1 to 8
- Ventilated Cooling
- High-Density and CFC free Polyurethane Insulation
- Adjustable, Heavy Duty, PE Coated Wire Shelves
- Stainless steel exterior and Interior
- Refrigerant R-290 Amps 1.4, Power 280W
- Dimensions 1500x700x855mm Inc Castors
- Weight 93Kgs
- 220V-240v/50Hz/1, 10amp plug
- 2 Adjustable shelf included

## Additional Information

---

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KUR15-2S-N
Warranty	3 years parts & labour
Temperature Operating Range C	1°C~8°C

Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°C
Refrigerant	R-290
External Dimensions (mm)	1500 mm (W) x 600 mm (D) x 855 mm (H)
Capacity/Volume	319
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Packaged Dimensions (mm)	1570 mm (W) x 660 mm (D) x 925 mm (H)
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$3,510.00