



https://www.commercialfridgefreezer.com.au/fresh-refrigeration-fod-72vs-open-display-fridge-1162l/

Fresh Refrigeration FOD-72VS Open Display Fridge, 1162L

\$9,918.70 +GST

View more Product Details

Add to Cart

Request a Quote



Fresh Refrigeration FOD-72VS Open Display Fridge, boasting a capacious 1162L capacity. This refrigeration system not only keeps your products fresh but also prioritizes energy efficiency with its energy-saving night curtains and hot gas condensate system. The cabinet's robust build features clean white-coated steel interior walls and shelves, while its modern one-piece grill and back-coated exterior exude durability. With enhanced airflow maintaining temperatures between 32°F41°F (0°C5°C), it thrives in environments up to 75°F (24°C) and 55% relative humidity. Its open front design ensures easy access and a stunning product display, complemented by LED lighting and a transparent glass sidewall, making it a perfect choice for showcasing your merchandise.

Description

Fresh Refrigeration FOD-72VS Open Display Fridge

, a cutting-edge refrigeration solution designed to elevate your business. With a generous capacity of 1162 litres, this fridge is built to meet the demands of busy establishments while ensuring energy efficiency. It features energy-saving night curtains as standard, helping maintain the cabinet's temperature while conserving energy. The hot gas condensate system and automatic evaporation & defrost system make maintenance a breeze.

The FOD-72VS boasts a strong and durable cabinet finish with clean-looking white coated steel interior walls and deck, ensuring longevity and a sleek appearance. The white coated steel shelves and modern one-piece grill further enhance its durability. This fridge operates flawlessly within environments where temperature and humidity do not exceed 75°F (24°C) and 55% relative humidity, keeping your products fresh between 32°F41°F (0°C5°C). Its open front design allows for convenient access to products, speedy service, and an attractive display. The LED sign panel and horizontal and vertical recessed energy-saving LED lights enhance the visual appeal, while the transparent glass sidewall adds an extra dimension to your merchandise presentation. Elevate your business with the Fresh Refrigeration FOD-72VS, where functionality meets attractive merchandising.

- Standard energy-saving night curtains for temperature control
- Utilizes a hot gas condensate system
- Features an automatic evaporation and defrost system
- Interior walls and deck coated in clean-looking white steel
- Exterior is back coated as a standard feature
- Equipped with white coated steel shelves
- Boasts a modern and durable one-piece grill design

Additional Information

Country of Manufacture	Korea
External Colour	Stainless Steel
Brand	Fresh Refrigeration
Model	FOD-72VS
Warranty	2 Year Parts and Labour
Temperature Operating Range C	0°C ~ 5°C
GEMS & MEPS Approved	Yes
Temperature Display / Control	Digital control
Refrigerant	R-134a
External Dimensions (mm)	1831 mm (W) x 826 mm (D) x 2035 mm (H)
Capacity/Volume	Volume: 1162L
Other Details	Voltage_(V/Hz/Ř): 220~240/50,60/1 HP: 1 Gross Weight: 359
Power Information	Power Supply = 9.5 Amps
Power Usage	3500 W
Interior Lighting	Yes
Defrost Auto or Manual	Automatic
About the Product	Secure the best price for the Fresh Refrigeration FOD-72VS, a 1162L Open Display Fridge. Purchase the FOD-72VS and all other commercial Open Display Fridges with Australia-wide delivery options.
Notes	For WA customers there will be an extra surcharge of \$880.00 + GST per cabinet for delivery over and above the standard freight cost over the online freight matrix your invoice will be adjusted by our team.
Product Options	-Leg levelers available - Free HCFC & HFC refrigerant model (R-290)

https://www.commercialfridgefreezer.com.au/fresh-refrigeration-fod-72vs-open-display-fridge-1162l/

https://www.commercialfridgefreezer.com.au/fresh-refrigeration-fod-72vs-open-display-fridge-1162l/ Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.